## Author index


Abubakirov, N.K., see Beer, J. (937) 335
Adcock, E.W., see Oelberg, D.G. (937) 289
Akera, T., see Stemmer, P. (937) 247
Alonso, A., see Ruiz, J. (937) 127
Anzai, K., Higashi, K.-I. and Kirino, Y.
Rapid determination of internal volumes of membrane vesicles with electron spin resonance-stopped flow technique (937) 73
Aranda, F.J. and De Kruijff, B.
Interrelationships between tyrocidine and gramicidin A′ in their interaction with phospholipids in model membranes (937) 195

Bartosz, G., see Palecz, D. (937) 23
Beer, J., Kunze, R., Herrmann, I., Portius, H.J., Mirsalichova, N.M., Abubakirov, N.K. and Repke, K.R.H.
The thermodynamic essence of the reversible inactivation of $Na^+/K^+$-transporting ATPase by various digitalis derivatives is relaxation of enzyme conformational energy (937) 335
Bevers, E.M., see Middelkoop, E. (937) 281
Bhandari, S.D., Joshi, S.K. and McMartin, K.E.
Folate binding and transport by rat kidney brush-border membrane vesicles (937) 211
Block, M.A., see Miquel, M. (937) 219
Blumenthal, K.M., see Liu, J. (937) 153
Boggs, J.M., Rangaraj, G. and Koshy, K.M.
Photolabeling of myelin basic protein in lipid vesicles with the hydrophobic reagent 3-(trifluoromethyl)-3-(*m*-[$^{125}$I]iodophenyl)diazirine (937) 1
Borst-Pauwels, G.W.F.H.
Simulation of all-or-none $K^+$ efflux from yeast provoked by xenobiotics (937) 88
Broza, R., see Eytan, G.D. (937) 387
Burckhardt, G., see Sabolić, I. (937) 398
Bystrova, M.F., see Fesenko, E.E. (937) 369

Chapman, D., see Johnston, D.S. (937) 10
Charnock, J.S., see McMurchie, E.J. (937) 347
Chiu, D.T.-Y., see Middelkoop, E. (937) 281
Comfurius, P., see Middelkoop, E. (937) 281
Cullis, P.R., see Nayar, R. (937) 31

De Kruijff, B., see Aranda, F.J. (937) 195
Depauw, H., De Wolf, M., Van Dessel, G., Hilderson, H.J., Lagrou, A. and Dierick, W.
Modification of TSH-stimulated adenylate cyclase activity of bovine thyroid by manipulation of membrane phospholipid composition with a nonspecific lipid transfer protein (937) 359
De Pont, J.J.H.H.M., see Schuurmans Stekhoven, F.M.A.H. (937) 161
De Wolf, M., see Depauw, H. (937) 359
Dierick, W., see Depauw, H. (937) 359
Dierks, T. and Krämer, R.
Asymmetric orientation of the reconstituted aspartate/glutamate carrier from mitochondria (937) 112
Dorne, A.-J., see Miquel, M. (937) 219
Douce, R., see Miquel, M. (937) 219
Dubacq, J.-P., see Miquel, M. (937) 219
Dubinsky, W.P., see Oelberg, D.G. (937) 289
Durand, P., see Zachowski, A. (937) 411
Düzgüneş, N., see Shiffer, K.A. (937) 269

Eytan, G.D., Broza, R. and Shalitin, Y.
Gramicidin S and dodecylamine induce leakage and fusion of membranes at micromolar concentrations (937) 387

Fedor, J., see Shiffer, K.A. (937) 269
Ferragut, J.A., see Ferrer-Montiel, A.V. (937) 379
Ferrer-Montiel, A.V., Gonzalez-Ros, J.M. and Ferragut, J.A.
Association of daunomycin to membrane domains studied by fluorescence resonance energy transfer (937) 379
Fesenko, E.E., Novoselov, V.I. and Bystrova, M.F.
Properties of odour-binding glycoproteins from rat olfactory epithelium (937) 369
Fincham, D.A., Mason, D.K. and Young, J.D.
Dibasic amino acid interactions with $Na^+$-independent transport system asc in horse erythrocytes. Kinetic evidence of functional and structural homology with $Na^+$-dependent system ASC (937) 184
Fortier, N.L., see Snyder, L.M. (937) 229
Frimmer, M., see Petzinger, E. (937) 135

Goerke, J., see Shiffer, K.A. (937) 269
Goñi, F.M., see Ruiz, J. (937) 127
Gonzalez-Ros, J.M., see Ferrer-Montiel, A.V. (937) 379
Grzelinska, E., see Palecz, D. (937) 23

Heinz, E., Sommerfeld, D.L. and Kinne, R.K.H.
Electrogenicity of sodium/L-glutamate cotransport in rabbit renal brush border membranes: a reevaluation (937) 300
Helgeland, L., see Kvalvaag, A.H. (937) 319
Henley, J.M. and Oswald, R.E.
Solubilization and characterization of kainate receptors from goldfish brain (937) 103
Herrmann, I., see Beer, J. (937) 335
Higashi, K.-I., see Anzai, K. (937) 73
Higuchi, A., see Kominami, S. (937) 177
Hilderson, H.J., see Depauw, H. (937) 359

Hjøllund, E. and Pedersen, O.
Transport and metabolism of D-glucose in human adipocytes. Studies of the dependence on medium glucose and insulin concentrations (937) 93
Hodson, G., see Hodson, S. (937) 241
Hodson, S. and Hodson, G.
The absence of bicarbonate-stimulated ATPase activity in the plasma membranes of the bicarbonate secreting ox corneal endothelial cells (937) 241
Hope, M.J., see Nayar, R. (937) 31
Horváth, I., see Vigh, L. (937) 42
Hoshi, T., see Shimada, T. (937) 328

Jain, S.K.
Evidence for membrane lipid peroxidation during the in vivo aging of human erythrocytes (937) 205
Johnston, D.S. and Chapman, D.
The properties of brain galactocerebroside monolayers (937) 10
Joshi, S.K., see Bhandari, S.D. (937) 211
Joyard, J., see Miquel, M. (937) 219

Kader, J.-C., see Miquel, M. (937) 219
Kinne, R.K.H., see Heinz, E. (937) 300
Kirino, Y., see Anzai, K. (937) 73
Kominami, S., Higuchi, A. and Takemori, S.
Interaction of steroids with adrenal cytochrome *P*-450 (*P*-$450_{17\alpha,lyase}$) in liposome membranes (937) 177
Koshy, K.M., see Boggs, J.M. (937) 1
Krämer, R., see Dierks, T. (937) 112
Kunze, R., see Beer, J. (937) 335
Kvalvaag, A.H., Tollersrud, O.K. and Helgeland, L.
A study on the intracellular transport of prothrombin, albumin and transferrin in rat (937) 319

Lagrou, A., see Depauw, H. (937) 359
Leb, L., see Snyder, L.M. (937) 229
Lester, R., see Oelberg, D.G. (937) 289
Leyko, W., see Palecz, D. (937) 23
Liu, J. and Blumenthal, K.M.
Membrane damage by *Cerebratulus lacteus* cytolysin A-III. Effects of monovalent and divalent cations on A-III hemolytic activity (937) 153
Lubin, B.H., see Middelkoop, E. (937) 281

MacDonald, A.L., see Pink, D.A. (937) 417
McKenney, J., see Snyder, L.M. (937) 229
McLennan, P.L., see McMurchie, E.J. (937) 347
McMartin, K.E., see Bhandari, S.D. (937) 211
McMurchie, E.J., Patten, G.S., McLennan, P.L., Charnock, J.S. and Nestel, P.J.
The influence of dietary lipid supplementation on cardiac $\beta$-adrenergic receptor adenylate cyclase activity in the marmoset monkey (937) 347
Martens, L., see Van Erum, M. (937) 145
Mason, D.K., see Fincham, D.A. (937) 184
Meissner, H.P., see Sehlin, J. (937) 309

Middelkoop, E., Lubin, B.H., Bevers, E.M., Op den Kamp, J.A.F., Comfurius, P., Chiu, D.T.-Y., Zwaal, R.F.A., Van Deenen, L.L.M. and Roelofsen, B.
Studies on sickled erythrocytes provide evidence that the asymmetric distribution of phosphatidylserine in the red cell membrane is maintained by both ATP-dependent translocation and interaction with membrane skeletal proteins (937) 281
Miquel, M., Block, M.A., Joyard, J., Dorne, A.-J., Dubacq, J.-P., Kader, J.-C. and Douce, R.
Protein-mediated transfer of phosphatidylcholine from liposomes to spinach chloroplast envelope membranes (937) 219
Mirsalichova, N.M., see Beer, J. (937) 335
Mohandas, N., see Snyder, L.M. (937) 229
Møller, J.V., see Palecz, D. (937) 23

Nayar, R., Tilcock, C.P.S., Hope, M.J., Cullis, P.R. and Schroit, A.J.
*N*-Succinyldioleoylphosphatidylethanolamine: structural preferences in pure and mixed model membranes (937) 31
Nestel, P.J., see McMurchie, E.J. (937) 347
Novoselov, V.I., see Fesenko, E.E. (937) 369

Oelberg, D.G., Wang, L.B., Sackman, J.W., Adcock, E.W., Lester, R. and Dubinsky, W.P.
Bile salt-induced calcium fluxes in artificial phospholipid vesicles (937) 289
Op den Kamp, J.A.F., see Middelkoop, E. (937) 281
Oswald, R.E., see Henley, J.M. (937) 103

Palecz, D., Grzelinska, E., Bartosz, G., Leyko, W. and Møller, J.V.
Ligand and lipid domain stabilization of a membraneous $Ca^{2+}$-ATPase during hyperthermia (937) 23
Patten, G.S., see McMurchie, E.J. (937) 347
Pedersen, O., see Hjøllund, E. (937) 93
Petzinger, E. and Frimmer, M.
Comparative investigations on the uptake of phallotoxins, bile acids, bovine lactoperoxidase and horseradish peroxidase into rat hepatocytes in suspension and in cell cultures (937) 135
Philipson, K.D., see Vemuri, R. (937) 258
Pink, D.A. and MacDonald, A.L.
The lateral distribution of cholesterol in the plane of lipid multibilayers (937) 417
Plesner, I.W., see Plesner, L. (937) 51
Plesner, I.W., see Plesner, L. (937) 63
Plesner, L. and Plesner, I.W.
Distinction between the intermediates in $Na^+$-ATPase and $Na^+,K^+$-ATPase reactions. I. Exchange and hydrolysis kinetics at millimolar nucleotide concentrations (937) 51
Plesner, L. and Plesner, I.W.
Distinction between the intermediates in $Na^+$-ATPase and $Na^+,K^+$-ATPase reactions. II. Exchange and hydrolysis kinetics at micromolar nucleotide concentrations (937) 63
Portius, H.J., see Beer, J. (937) 335

Rangaraj, G., see Boggs, J.M. (937) 1
Repke, K.R.H., see Beer, J. (937) 335
Roelofsen, B., see Middelkoop, E. (937) 281
Ruiz, J., Goñi, F.M. and Alonso, A.
Surfactant-induced release of liposomal contents. A survey of methods and results (937) 127

Sabolić, I. and Burckhardt, G.
Proton ATPase in rat renal cortical endocytotic vesicles (937) 398
Sackman, J.W., see Oelberg, D.G. (937) 289
Schroit, A.J., see Nayar, R. (937) 31
Schuddemat, J., Van den Broek, P.J.A. and Van Steveninck, J.
The influence of ATP on sugar uptake mediated by the constitutive glucose carrier of *Saccharomyces cerevisiae* (937) 81
Schuurmans Stekhoven, F.M.A.H., Swarts, H.G.P., 't Lam, G.K., Zou, Y.S. and De Pont, J.J.H.H.M.
Phosphorylation of ($Na^+ + K^+$)-ATPase; stimulation and inhibition by substituted and unsubstituted amines (937) 161
Sehlin, J. and Meissner, H.P.
Effects of $Cl^-$ deficiency on the membrane potential in mouse pancreatic $\beta$-cells (937) 309
Shalitin, Y., see Eytan, G.D. (937) 387
Sheerin, H., see Snyder, L.M. (937) 229
Shiffer, K.A., Goerke, J., Düzgüneş, N., Fedor, J. and Shohet, S.B.
Interaction of erythrocyte protein 4.1 with phospholipids. A monolayer and liposome study (937) 269
Shimada, T. and Hoshi, T.
$Na^+$-dependent elevation of the acidic cell surface pH (microclimate pH) of rat jejunal villus cells induced by cyclic nucleotides and phorbol ester: possible mediators of the regulation of the $Na^+/H^+$ antiporter (937) 328
Shohet, S.B., see Shiffer, K.A. (937) 269
Snyder, L.M., Fortier, N.L., Leb, L., McKenney, J., Trainor, J., Sheerin, H. and Mohandas, N.
The role of membrane protein sulfhydryl groups in hydrogen peroxide-mediated membrane damage in human erythrocytes (937) 229
Sommerfeld, D.L., see Heinz, E. (937) 300
Stemmer, P. and Akera, T.
Apparent cooperativity of [$^3$H]ouabain binding to myocytes obtained from guinea-pig heart (937) 247
Swarts, H.G.P., see Schuurmans Stekhoven, F.M.A.H. (937) 161

Takemori, S., see Kominami, S. (937) 177
Teuchy, H., see Van Erum, M. (937) 145
Thompson, Jr., G.A., see Vigh, L. (937) 42
Tilcock, C.P.S., see Nayar, R. (937) 31
't Lam, G.K., see Schuurmans Stekhoven, F.M.A.H. (937) 161
Tollersrud, O.K., see Kvalvaag, A.H. (937) 319
Trainor, J., see Snyder, L.M. (937) 229

Van Deenen, L.L.M., see Middelkoop, E. (937) 281
Van den Broek, P.J.A., see Schuddemat, J. (937) 81
Van Dessel, G., see Depauw, H. (937) 359
Vanduffel, L., see Van Erum, M. (937) 145
Van Erum, M., Martens, L., Vanduffel, L. and Teuchy, H.
The localization of ($Ca^{2+}$ or $Mg^{2+}$)-ATPase in plasma membranes of renal proximal tubular cells (937) 145
Van Steveninck, J., see Schuddemat, J. (937) 81
Vemuri, R. and Philipson, K.D.
Phospholipid composition modulates the $Na^+$–$Ca^{2+}$ exchange activity of cardiac sarcolemma in reconstituted vesicles (937) 258
Vigh, L., Horváth, I. and Thompson, Jr., G.A.
Recovery of *Dunaliella salina* cells following hydrogenation of lipids in specific membranes by a homogeneous palladium catalyst (937) 42

Wang, L.B., see Oelberg, D.G. (937) 289

Young, J.D., see Fincham, D.A. (937) 184

Zachowski, A. and Durand, P.
Biphasic nature of the binding of cationic amphipaths with artificial and biological membranes (937) 411
Zou, Y.S., see Schuurmans Stekhoven, F.M.A.H. (937) 161
Zwaal, R.F.A., see Middelkoop, E. (937) 281